

MediaConnect

Product Introduction

Product Documentation



Copyright Notice

©2013-2019 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Contents

Product Introduction

Overview

Product Introduction

Overview

Last updated : 2020-12-15 16:41:48

Tencent Cloud MediaConnect (MDC) provides professional, stable, and high-quality video transfer services for global users. Leveraging the compute resources in Tencent Cloud's abundant AZs deployed around the globe and proprietary world-leading audiovisual technologies, MediaConnect offers stable and secure real-time transfer capabilities and comprehensively monitors the quality of video streams during the transfer process, enabling video providers to agilely and reliably transfer video streaming media.

Multiprotocol Primary/Backup Inputs

MediaConnect can transfer streaming media over multiple protocols such as RTP, SRT, UDP, and RTMP. In addition, it automatically supports redundancy configuration by providing primary and backup input addresses for each flow to ensure the flow stability and reliability.

Comprehensive Stream Quality Monitoring

MediaConnect offers detailed health reports on the running status of each flow and provides various types of alerts, making it easy for you to monitor the flow quality in real time.

High Stability and Low Latency

MediaConnect can optimize the transfer path according to the destination address to provide stable live streaming transfer services across continents with a latency as low as less than 1 second.

One-Flow-Multi-Node Transfer

MediaConnect supports a one-flow-multi-node transfer mechanism, through which multiple output nodes can be added for the same flow to transfer the flow to different regions.

Protocol Remuxing Support

MediaConnect supports remuxing from and to the RTP, SRT, and RTMP streaming media protocols, which means that one flow can be remuxed into the RTP, SRT, and RTMP streams at the same time.

High Scalability

MediaConnect can work with other Tencent Cloud services such as MediaLive, MediaPackage, LVB, and CDN to implement fully integrated large-scale broadcast-grade one-stop media services.