

# **TencentDB for MySQL**

## **Preset Plugin List**

### **Product Documentation**



## Copyright Notice

©2013-2024 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

## Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

## Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

# Preset Plugin List

Last updated : 2024-07-24 09:36:07

This document lists the preset plugins of TencentDB for MySQL on various versions.

Plugin	MySQL 8.0	MySQL 5.7	MySQL 5.6
audit_cdb	✓	✓	✓
audit_null	✓	✓	✓
auth	✓	✓	✓
binlog_speed_limit	✓	✓	×
cdb_enterprise_encryption	✓	✓	×
clone	✓	×	×
connection_control	✓	✓	×
daemon_example	✓	✓	✓
ddl_rewriter	✓	×	×
firewall_cdb	✓	×	×
fulltext	✓	✓	✓
group_replication	✓	×	×
innodb_memcached	✓	✓	✓
keyring	✓	✓	×
keyring_kms	✓	✓	×
keyring_udf	✓	×	×
password_validation	✓	✓	✓
pfs_table_plugin	✓	×	×
replication_observers_example	✓	✓	×
repl_speedlimit	×	×	✓
rewrite_example	✓	✓	×

---

rewriter	✓	✓	×
semisync	✓	✓	✓
test_services	✓	✓	×
test_service_sql_api	✓	✓	×
udf_services	✓	✓	×
version_token	✓	✓	×