

Data Transmission Service

DTS-DBbridge

Product Documentation



Copyright Notice

©2013-2019 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Contents

DTS-DBbridge

Setting Up Installation Environments

DTS-DBbridge

Setting Up Installation Environments

Last updated : 2020-10-09 10:52:16

Before installing DTS-DBbridge, you need to set up the installation environment.

Hardware Requirements

Basic configuration

- CPU: 8-core
- Memory: greater than 16 GB
- Disk capacity: greater than 500 GB

Recommended configuration

- CPU: 16-core
- Memory: greater than 32 GB
- Disk capacity: greater than 500 GB

System Requirements

After the required hardware is ready, you need to install and configure the Linux operating system.

Supported system versions

CentOS/Red Hat versions 7.2 and later are supported. CentOS 7.2 is recommended.

Making sure the server time is correct

Check whether all servers have the same correct current time and time zone. If not, please reset them to their correct values.

```
date -R
```

Obtaining an Installation Package

Please [submit a ticket](#) to obtain the latest installation package.

Configuring a YUM Repository

Configure a YUM repository in the server where DTS-DBbridge is deployed. If you cannot access a YUM repository through the public network, you can configure a YUM repository locally or through the private network.