

# **Elastic Network Interface**

## **Purchasing Guide**

### **Product Documentation**



## Copyright Notice

©2013-2019 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

## Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

## Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

# Contents

- Purchasing Guide
  - Billing Overview
  - Purchasing Method

# Purchasing Guide

## Billing Overview

Last updated : 2019-12-04 12:11:00

An ENI is **free of charge**. For the pricing of more VPC products, see [VPC Billing and Pricing](#).

# Purchasing Method

Last updated : 2020-06-28 14:47:42

You can purchase an ENI directly from [Tencent Cloud](#).

The purchasing process is as follows.

1. Log in to [Tencent Cloud](#).
2. Click **Get Started**(<https://console.cloud.tencent.com/vpc/eni?rid=8>) to go to the ENI Console.
3. Select a region and VPC, and then click **+ New**.
4. In the **Create ENI** pop-up window, enter a name for the ENI, select **Network** and **Subnet**, and configure **Assign IP** (select either **Automatic Assignment** or **Enter Manually**). If you want to

add a tag, click **Advanced Options**.

### Create ENI ✕

Name

Region **Guangzhou**

Network

Subnet

Availability Zone **Guangzhou Zone 4**

Available IPs ⓘ **1/30 IPs (250 IPs available for current subnet)**

Assign IP Primary IP  The system will assign an IP

[Add a secondary IP](#)

OK Cancel

5. Click **OK**.