


Serverless Cloud Function Release Notes and Announcements Product Documentation



Copyright Notice

©2013-2019 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Contents

Release Notes and Announcements

Release Notes

Announcements

SCF Log Service Change Notification

Release Notes and Announcements

Release Notes

Last updated : 2021-09-23 11:21:33

July 2021

Update	Description	Release Date	Documentation
Added support for deployment of multiple web frameworks	SCF allows you to deploy a local project to the cloud through a web function.	2021-07-29	Web Framework Deployment

June 2021

Update	Description	Release Date	Documentation
Added support for container image delivery of SCF	SCF supports container image delivery, richer repository types, non-intrusive log collection and aggregation, image pull based on image digest, and custom image, so that you don't need to modify the code or recompile binary dependencies, which accelerates the serverless transformation of your applications.	2021-06-08	<ul style="list-style-type: none">• Feature Description• Usage
Added web function type to SCF	SCF supports creating web functions that can accept and process native HTTP requests.	2021-06-08	Web Function Overview

January 2021

Update	Description	Release Date	Documentation
--------	-------------	--------------	---------------

Update	Description	Release Date	Documentation
Added retry capability for async SCF invocation	<ul style="list-style-type: none"> Added support for modifying the configurations of retry and maximum retention for async invocations. You can control the retry capabilities of function resources through relevant configurations. Updated the function overrun retry policy, eliminating your need to concern over data retry failures caused by overrun. Functions will make special retries for overrun errors by default. 	2021-01-18	<ul style="list-style-type: none"> Dead Letter Queue Error Types and Retry Policies Concurrency Overrun

December 2020

Update	Description	Release Date	Documentation
Upgraded the function creation process	<ul style="list-style-type: none"> Simplified the function creation process for quicker creation. Added support for configurations for template-based function creation. Added support for trigger configurations for function creation. Interconnected with Serverless Framework for creating applications in the SCF console. Interconnected with CODING for deploying functions and applications through CI. 	2020-12-30	-
Released the async function execution feature	SCF provides the async function execution mode to extend the execution timeout period and solve the problems with existing execution mechanisms.	2020-12-29	Async Execution

Update	Description	Release Date	Documentation
Released SCF Serverless Web IDE	<p>SCF and CODING jointly released Serverless Web IDE to provide a development experience closer to local IDE, which supports:</p> <ul style="list-style-type: none"> • Complete function development, deployment, and testing capabilities. • Terminal capabilities. Common development tools such as pip and npm and programming language development environments already supported by SCF are pre-configured in it. • The basic capabilities of a complete IDE, such as smart prompt and code autocomplete. • User-Defined IDE configuration, which ensures a consistent IDE user experience for the development of different functions. 	2020-12-29	Serverless Web IDE
Added support for MPS triggers	The combination of SCF and MPS enables you to quickly process and manipulate callback events generated by MPS.	2020-12-11	MPS Function Processing Overview
Added support for data sync between SCF API Gateway trigger and API Gateway	Creating, deleting, and updating serverless APIs on the API Gateway side are completely synced with creating, deleting, and updating API Gateway triggers on the SCF side. Changes on one side will be automatically synced to the other side.	2020-12-08	Overview

November 2020

Update	Description	Release Date	Documentation
--------	-------------	--------------	---------------

Update	Description	Release Date	Documentation
Released the online debugging feature	With the online debugging feature of SCF, you can complete checkpoint debugging, use the console, and view the runtime memory and CPU status, so that you can quickly locate problems in the console.	2020-11-27	Debugging Function
Added support for CLS triggers	You can use SCF to process the logs collected in the CLS service. By passing the collected logs as a parameter, the function can be invoked, where the function code can process and analyze the data or dump it to other Tencent Cloud services.	2020-11-17	<ul style="list-style-type: none"> • CLS Trigger • CLS Function Processing Overview
Added support for CKafka message dump to ES	SCF is connected with CKafka to allow you to dump messages to Elasticsearch Service (ES) for consumption and management, making it easier to store and search massive amounts of data and analyze logs in real time.	2020-11-17	Message Dump to ES

August 2020

Update	Description	Release Date	Documentation
Released the Custom Runtime feature	SCF provides Custom Runtime to customize the runtime environment. By enabling custom implementation for the function runtime, you can use any version of any programming language to write functions as needed.	2020-08-05	Custom Runtime

July 2020

Update	Description	Release Date	Documentation
Added support for CFS file systems	SCF supports mounting CFS file systems to have a larger disk space. It allows different functions to write into the same file system.	2020-07-22	Mounting CFS File System
Released the SCF-based CDN cache purge feature	You can quickly configure an SCF-based CDN purge scheme in the COS console.	2020-07-03	CDN Cache Purging

June 2020

Update	Description	Release Date	Documentation
Released the SCF VS Code plugin	The SCF VS Code plugin was upgraded to v2.0: The specification used by the plugin was adjusted to the Tencent-SCF Component specification in Serverless Framework. The original TCSAM-compatible specification can be converted to the Serverless Framework Tencent-SCF Component specification. Node.js 10.15 and Node.js 12.16 runtime environments were added. Node.js 10 and above runtime environments were added for cloud debugging.	2020-06-12	-
Added the Node.js 12.16 runtime environment	The Node.js 12.16 runtime environment was added for SCF. You can choose to use Node.js 12.16 as the runtime environment when creating a function. The upgrade of the Node.js version brings new features and performance improvements and, mostly importantly, speeds up launches.	2020-06-04	Notes on Node.js

May 2020

Update	Description	Release Date	Documentation
Added support for providing a fixed outbound IP on the public network	<ul style="list-style-type: none"> When the public network is enabled for a function, a fixed outbound IP on the public network can be enabled to get a randomly assigned EIP. The traffic generated by the function accessing the public network will be forwarded based on the EIP. When both public network access and private network access are enabled for the function, the traffic generated by accessing the public network will be forwarded based on the EIP, while that generated by accessing the private network will be forwarded based on the VPC. 	2020-05-26	-
Added support for installing dependencies online for the Node.js runtime	<p>If "Online install dependency" is enabled in the function configuration, each time the code is uploaded, the SCF backend will check the `package.json` file in the root directory of the code package and try using npm to install the dependent package based on the dependencies in `package.json`.</p> <p>Currently, you can install dependencies online for the Node.js runtime, and each time the code is updated, the SCF backend will automatically install dependencies.</p>	2020-05-09	-

April 2020

Update	Description	Release Date	Documentation
--------	-------------	--------------	---------------

Update	Description	Release Date	Documentation
Added support for enabling both the public network and VPC	SCF now supports enabling both the public network and VPC, and the code can access resources in the VPC and public network, lowering the configuration complexity. Both or either of the VPC and public network can be enabled.	2020-04-28	-
Released the grayscale release feature	<p>SCF allows you to configure aliases, versions, and traffic routing to switch traffic between multiple versions.</p> <ul style="list-style-type: none"> Two versions can be configured for an alias, and a rule can be configured to switch traffic between the two versions. Traffic can be routed based on weight or request attribute. A trigger can be configured for an alias. You can view logs and monitoring data by alias or version. 	2020-04-28	Traffic Routing Configuration
Released the layer feature	SCF allows you to use layers to manage dependency libraries and common code files.	2020-04-07	Layer Management

March 2020

Update	Description	Release Date	Documentation
Released the SCF-based COS file decompression feature	The file decompression feature is a data processing solution provided by COS based on SCF. After it is enabled, when a compressed file is uploaded to COS, the function pre-configured by COS will be automatically triggered to decompress the file to the specified bucket and directory.	2020-03-26	File Decompression

Announcements

SCF Log Service Change Notification

Last updated : 2021-05-24 11:21:58

Notes:

- SCF plans to upgrade the log service on January 29, 2021 to connect to Cloud Log Service (CLS). After the upgrade, you need to specify the destination log topic or use the default shipping configuration for **new functions**. For more information, please see [Log Search Guide](#).
- Functions created before January 29, 2021 will be gradually migrated by region from April 5, 2021. We will configure the SCF-specific log topic for functions for which you have not configured logging. In the following scenarios, the SCF cannot complete automatic migration or will not perform automatic migration. If you need to view the function invocation logs, please manually associate your functions with a log topic to save the function invocation logs. For details, please see [Log Delivery Configuration](#).

Status	Scenario
SCF cannot complete the automatic migration.	Your Tencent Cloud account has not completed the identity verification. Please complete the identity verification , and then associate your functions with a log topic to save the function invocation logs.
	Your Tencent Cloud account has overdue payment. Please top up your account first, and then associate your functions with a log topic to save the function invocation logs.
	The role <code>SCF_QcsRole</code> does not exist. Please complete SCF service authorization , and then associate your functions with a log topic to save the function invocation logs.
SCF will not perform automatic migration.	The functions under your Tencent Cloud account were not invoked during the migration statistical period (March and April 2021). The system determines that you are an inactive user of SCF and will not create log service related resources for you. Before invoking the function again, you need to manually associate your function with a log topic to save the function invocation logs.

Background

[Cloud Log Service \(CLS\)](#) is a one-stop logging solution. It can be easily integrated in just five minutes, freeing you from resource or scaling issues. CLS offers solutions for collecting, storing, searching, and analyzing logs, helping you identify business issues, monitor metrics, ensure security, and simplify operations.

After SCF is connected to CLS, function logs can support:

- **Real-time index:** index collected log data in real time to enable data search.
- **Flexible search:** you can use various features such as full-text search, multi-keyword search, range search, and fuzzy search.
- **Log shipping:** you can ship specified logs to other cloud products to meet storage or other computing needs. For example, you can ship a log to a specified COS bucket to manage its lifecycle and meet the need for log auditing.

SCF Log Service Upgrade Details

- Starting from January 29, 2021, the new functions will use the default log topic if no destination log topic is specified, and their invocation logs will be delivered to the specified topic according to the function log configuration.
- Existing functions will be migrated by region from April 5 to June 30, 2021. We will associate the default destination log topic with functions for which you have not configured logging, while the functions for which you have already configured logging will not be affected.

Note :

- If you want to specify the destination log topic for function logs, please configure it before the migration of existing functions starts. For the configuration method, please see [Log Delivery Configuration \(Legacy\)](#).
- We recommend you not change the log configuration during the migration window of existing functions so as to avoid exceptional log query caused by log delivery to different topics.
- Existing functions will be migrated in stages. For specific migration time, please see the SMS and Message Center notification you receive.

- When the default log shipping feature is enabled, SCF will activate CLS automatically and ship function invocation logs to the log topic (prefixed by "SCF_logtopic") in the SCF-specific logset

(prefixed by "SCF_logset"). If the log topic and logset do not exist, new ones will be created automatically. Logs are stored for seven days by default. You can check and manage them on the [CLS console](#).

- The `GetFunctionLogs` API will be disused on July 1, 2021. After the function is connected to CLS, we recommend you use the [related CLS API](#) to get the best log search experience.

Note :

To ensure the compatibility of the `GetFunctionLogs` API, the input parameter `FunctionName` is optional, but we recommend you enter it; otherwise, log acquisition may fail.

- After the CLS service is commercialized, Tencent Cloud still provides a certain free tier for all users in each region. The SCF-specific topic will consume the free tier. For more information on CLS billing, please see [Free Tier](#).
- For more information on the format of logs delivered from SCF to CLS, please see [Log Search Guide](#).
- After SCF logs are connected to CLS, return data will be retained for asynchronously invoked functions, which will be written to `SCF_Message` in the format of `Response RequestId:xxx RetMsg:xxx` .

Note :

The value of `SCF_Message` is limited to 8 KB in length, and excessive parts will be discarded.