


# Database Audit

## Glossary

### Product Documentation



## Copyright Notice

©2013-2019 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

## Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

## Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

# Glossary

Last updated : 2021-08-25 19:07:55

## Database Audit

Database Audit can record the activities of TencentDB instances in real time, manage the compliance of database operations with fine-grained audit, and alert risky database behaviors such as SQL injections and exceptional operations.

## Audit Policy

An audit policy defines what behaviors are to be audited and how to audit them. **Audit policy = audit object + audit rule + responsive action**. In other words, when configuring an audit policy, you need to specify the things to be audited, and if the characteristics of certain (user or system) behaviors hit an audit rule after being analyzed during the validity period of the policy, then the audit engine will take responsive actions as defined in the policy.

## Audit Object

It is the target instance (database) you set.

## Audit Rule

A rule is a collection of behaviors that need to be audited as defined in an audit policy. It consists of rule parameters, each of which defines a specific characteristic for behavior matching.