

Real User Monitoring

Getting Started

Product Documentation



Copyright Notice

©2013-2022 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Getting Started

Last updated : 2022-10-14 16:25:15

This document describes how to quickly get started with RUM.

Step 1. Create a business system

1. Log in to the [RUM console](#).
2. On the left sidebar, click **Application Management > Business System**.
3. On the business system management page, click **Create Business System**. In the pop-up window, enter the business name and indicate your consent to the agreement.

Step 2. Connect an application

1. Log in to the [RUM console](#).
2. On the left sidebar, click **Data Overview**.
3. On the data overview page, click **Application Connection** and configure the application information as detailed below:

Configuration Item	Description
Application Name	Enter a custom application name, which identifies the application in the RUM console.
Application Description	Enter an application description such as usage and overview, which helps other users better understand this application.
Application Type	RUM supports connection to web, mini program (WeChat and QQ), Hippy, Weex, and React Native applications.
Application Repository Address (optional)	Enter the address of your application repository, which is optional.
Business System	This feature is used to manage your connected applications by category. For example, you can categorize your applications by conditions such as development team, business logic,

	and application type. If you have no available teams, click **Create** on the right, enter the relevant information, and click **OK** to create one.
Enable Auto URL Aggregation	After it is enabled, URLs with the same domain will be aggregated for analysis; for example, <code>app.qq.com/user/123/index.html</code> and <code>app.qq.com/user/456/index.html</code> will be aggregated into <code>app.qq.com/user/*/index.html</code> .
Sample Rate	It indicates the percentage of user performance data (tested page, API, and static resource speeds) to be reported. 100% indicates that no data will be sampled, and 0% indicates that no performance data will be imported.

4. After completing the configuration, click **Next** and select a method to install the SDK as detailed below:

- Install the SDK through **npm** (supported for all application types). The followings steps use a web application as an example to describe how to connect to the SDK through npm.
 - i. On the connection guide page, copy the first command line to import the npm package.

Connection Guide

Connection Type `<script>` tag import npm

```
// Install the Aegis SDK through npm if the application supports npm.  
npm install --save aegis-web-sdk
```

ii. On the connection guide page, copy the provided code to initialize the SDK.

Application Connection

1 **Create Application** > 2 **Application Connection**

Connection Guide

Connection Type <script> tag import npm

```
// Install the Aegis SDK through npm if the application supports npm.
npm install --save aegis-web-sdk

// Initialize SDK after the import
import Aegis from 'aegis-web-sdk';

const aegis = new Aegis({
  id: '9Gj0mILG39LP1320RJ', // Reporting ID
  uin: 'xxx', // UIN (optional)
  reportApiSpeed: true, // API Speed Test
  reportAssetSpeed: true, // Static Resource Speed Test
  spa: true, // Enable PV calculation during SPA page
  hostUrl: 'https://rumt-us.com'
});
```

[Complete](#)

- Connect to the SDK by **importing the <script> tag** (supported only for web applications).
 - i. On the connection guide page, copy the provided `<script>` tag code.

ii. Import the code below `<script> tag import` into the `<head></head>` tags.

Application Connection

1 **Create Application** > 2 **Application Connection**

Connection Guide

Connection Type `<script> tag import` npm

```
<script src="https://cdn-go.cn/aegis/aegis-sdk/latest/aegis.min.js"></script>
<script>
  const aegis = new Aegis({
    id: '9Gj0mILG39LP1320RJ', // Reporting ID
    uin: 'xxx', // UIN (optional)
    reportApiSpeed: true, // API Speed Test
    reportAssetSpeed: true, // Static Resource Speed Test
    spa: true, // Enable PV calculation during SPA page
    hostUrl: 'https://rumt-us.com'
  });
</script>
```

[Complete](#)

After completing the above steps for connection, you can use the data overview, page performance, exception analysis, page view (PV and UV), API monitoring, and static resource features. If you want to use the log query, offline log, custom speed test, and custom event features, you need to report the data as instructed in the connection guide.

Step 3. View the monitoring data

After your application is connected successfully and reports a certain amount of data, you can go to the RUM console to view monitoring data such as exception analysis, page performance, and page view.