Captcha Glossary Product Documentation



Copyright Notice

©2013-2024 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.



Glossary

Last updated: 2024-01-02 15:46:48

CaptchaAppld

CAPTCHA app ID. This parameter is required to integrate to Captcha. When your business client calls the Captcha service, the Captcha server can obtain the verification type, risk control level, and other parameters configured on the console with CaptchaAppld. CaptchaAppld and AppSecretKey can be found on the CAPTCHA list page in the Captcha console.

SecretKey

SecretId and SecretKey collectively refer to the TencentCloud API key, which is the security credential required for authentication when you access TencentCloud API. SecretKey is used to encrypt signature strings and verify them on the server. You can create multiple TencentCloud API keys for one APPID.

CAPTCHA ticket

The user verification ticket returned by the callback function after the business client initiates verification. CAPTCHA ticket is required when the business server calls the ticket verification API.