

Low-code Interactive Classroom Interface Customization Product Documentation





Copyright Notice

©2013-2024 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice

STencent Cloud

All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.



Contents

Interface Customization Event Listening

Interface Customization Event Listening

Last updated : 2024-03-13 21:00:41

The function of event listening:

In actual business requirements, you may need to combine with the business when a specific event occurs, for example:

When the class officially starts, do some reporting to the business background.

When a member joins a room, a pop-up window is shown to the member.


Event	Event	Remark
After_Enter	Joined room	-
Modify_Class	Room information has been changed -	
Leave_Class	Leaving the room -	
Kick_Out_By_Teacher	Kicked out of the room	-
Kick_Out_By_Another	Kicked out of the room after multi-terminal login	-
Kick_Out_By_Expire	Kicked out of the room due to expired signature	-
Member_Join	Members join the room -	
Member_Exit	Members leave the room -	
Member_Info_Update	Member information update -	
Member_Hand_Up	Members raise hands	-
Member_Hand_Up_Cancel	Members withdraw hand raising -	
Question_Valid	There are available answers -	
Question_Begin	Answering started	-
Question_End	Answering ended	-
Question_Abandon	Answering terminated	-

Event List (TCIC.TMainEvent)

Question_Close	Answering closed -	
Question_Been_Answered	A student is answering -	
App_Resized	Application size changes -	
Error	An error occurred (affecting the main process) -	
Recv_IM_Msgs	Received an IM message -	
Recv_Custom_IM_Msg	Received a custom IM message	-

Sample:





```
function afterEnter() => {
  console.debug('You have joined this room');
}
// Listen
TCIC.SDK.instance.on(TCIC.TMainEvent.After_Enter, afterEnter);
// Cancel listening
TCIC.SDK.instance.off(TCIC.TMainEvent.After_Enter, afterEnter);
```


Status list (TCIC.TMainState)

Event	Event	Remark
Class_Info_Ready	Classroom information has been loaded	_
Joined_Class	Already joined the classroom	-
Sub_Camera	Auxiliary camera status	0: Start 2: End
Screen_Share	Screen sharing status	0: Sharing 1: Pausing 2: Not started/Ended
Video_Publish	Whether local video push is enabled	-
Audio_Capture	Whether local audio collection is enabled	_
Class_Duration	Classroom duration	Unit: second. < 0: Time until class starts 0: Class not started at the class time Class ended Class expired > 0: In class
Member_Count	Number of class members	-
Board_Permission	Permission to whiteboard operations	-
Chat_Permission	Permission to text chat	-
Screen_Share_Permission	Screen sharing permissions	-
Hand_Up	Hand raising	-




	status	
Mute_All	All-member mute status	-
Mute_Video_All	All-member video status	-
Silence_All	All-member silent status	-
Message_Unread_Count	Unread Messages	-
HandUp_Count	Number of people raising hands	-





```
// PromiseState can ensure that it will be executed immediately when the current st
TCIC.SDK.instance.promiseState(TCIC.TMainState.Joined_Class, true).then( () => {
    console.debug('You have joined this room');
});
function listener() {
    console.debug('You have joined this room');
}
// Listen
TCIC.SDK.instance.subscribeState(TCIC.TMainState.Joined_Class, listener);
```



// Cancel listening

TCIC.SDK.instance.unsubscribeState(TCIC.TMainState.Joined_Class, listener);