


## TencentDB for MySQL 사전 설정 플러그인 목록 제품 문서






## Copyright Notice

©2013-2023 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

**Trademark Notice** 



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

## Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.



## 사전 설정 플러그인 목록

최종 업데이트 날짜: : 2023-03-13 11:53:11

본문은 다양한 버전의 TencentDB for MySQL 사전 설정 플러그인을 나열합니다.

플러그인	MySQL 8.0	MySQL 5.7	MySQL 5.6
audit_cdb	<b>✓</b>	✓	<b>✓</b>
audit_null	1	✓	<b>✓</b>
auth	<b>✓</b>	✓	<b>✓</b>
binlog_speed_limit	1	✓	×
cdb_enterprise_encryption	1	✓	×
clone	1	×	×
connection_control	✓	✓	×
daemon_example	1	✓	✓
ddl_rewriter	1	×	×
firewall_cdb	1	×	×
fulltext	1	✓	1
group_replication	1	×	×
innodb_memcached	1	✓	1
keyring	1	✓	×
keyring_kms	1	✓	×
keyring_udf	1	×	×
password_validation	1	✓	<b>✓</b>
pfs_table_plugin	1	×	×
replication_observers_example	1	✓	×
repl_speedlimit	×	×	✓



플러그인	MySQL 8.0	MySQL 5.7	MySQL 5.6
rewrite_example	<b>✓</b>	<b>✓</b>	×
rewriter	<b>✓</b>	✓	×
semisync	<b>✓</b>	<b>✓</b>	✓
test_services	<b>✓</b>	<b>✓</b>	×
test_service_sql_api	<b>✓</b>	<b>✓</b>	×
udf_services	<b>✓</b>	<b>✓</b>	×
version_token	<b>✓</b>	<b>✓</b>	×