


Peering Connection

FAQ

Product Documentation



Copyright Notice

©2013-2024 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Contents

FAQ

Concepts

Features

FAQ

Concepts

Last updated : 2024-01-11 19:57:50

Is the connectivity of a peering connection transitive?

A peering connection enables connectivity between two VPCs, but the connectivity cannot be transited.

For example, peering connections are created between VPC 1 and VPC 2, and between VPC 1 and VPC 3. However, due to the non-transitivity of peering connections, traffic cannot flow between VPC 2 and VPC 3.

Note:

Even if a peering connection is created, both ends of the connection cannot communicate with each other if routes for sending and returning packets are not configured at both ends.

What is the difference between intra-region and cross-region peering connections?

Intra-region peering connections are used to connect applications located in different VPCs within the same region.

Cross-regional peering connections are used to implement connectivity between VPCs in different regions.

For more information, see [Features](#).

Can I set bandwidth limits for peering connections?

For a cross-region peering connection: you can set a bandwidth limit when you create the connection using an API.

Setting bandwidth limits in the console will be supported in the near future.

For an intra-region peering connection: you do not need to set a bandwidth limit for the connection because bandwidth is free of charge and is unlimited.

If a peering connection is deleted at one end, is the VPC at the other end still accessible from the peer end?

No. The peering connection can be disconnected at either end at any time. The connection is ineffective immediately upon disconnection. The VPC at either end is accessible only after the connection is created again.

Can I create a peering connection between VPCs of different accounts?

Yes. This is possible as long as the owner of the other VPC accepts your peering connection request.

Can I create a peering connection between two VPCs with overlapped IP ranges?

No. The IP ranges of VPCs at the two ends of a peering connection cannot overlap.

Is traffic encrypted over a peering connection?

No. After a peering connection is created, access between two VPCs is similar to that between two CVMs in the same VPC, without additional encryption. Network traffic within a VPC is always isolated from other networks.

Is a single point of failure possible?

Single points of failure or bandwidth bottlenecks cannot occur because a peering connection between VPCs is not a gateway or a VPN connection and it does not depend on separate hardware.

Features

Last updated : 2024-01-11 19:57:50

How can I view relevant routing policies?

You can log in to [Tencent Cloud Console](#) and view the relevant routing policies of a peering connection. For details, see [Viewing relevant routing policies](#).

How can I view the monitoring data of network traffic over a cross-region peering connection?

You can log in to [Tencent Cloud Console](#) and view the monitoring data of network traffic over a cross-region peering connection. For details, see [Viewing monitoring data of network traffic over a cross-region peering connection](#).

How can I configure a bandwidth limit for a cross-region peering connection?

Network traffic over an intra-region peering connection is free of charge and no bandwidth limit can be set. The bandwidth cap is 5 Gbps.

You can set a bandwidth limit for a cross-region peering connection.

You can log in to [Tencent Cloud Console](#) and configure a bandwidth limit for a cross-region peering connection. For details, see [Configuring a bandwidth limit for a cross-region peering connection](#).

How can I set alarms for cross-region connections?

You can log in to [Tencent Cloud Console](#) and set alarms for cross-region connections. For details, see [Setting alarms for cross-region connections](#).

How can I implement cross-region communication?

You can implement cross-region communication by performing the following steps:

1. Create a peering connection.
2. Set route tables at both ends.

For details, see [Creating an intra-account peering connection for communication](#).