

Bandwidth Package

Best Practices

Product Documentation



Copyright Notice

©2013-2024 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Contents

Best Practices

Accessing the Public Network by Using a Dedicated BGP IP

Best Practices

Accessing the Public Network by Using a Dedicated BGP IP

Last updated : 2024-01-09 16:30:00

The EIP using a dedicated BGP IP line reduces the network latency without detouring an international ISP.

Note:

Currently only bill-by-IP accounts can use the dedicated BGP IPs, and bill-by-CVM accounts need to be upgraded before using these IPs. For details about upgrading, see [Checking Account Type](#).

Dedicated BGP IPs are available only in Hong Kong, China. For details about price, see [Product Pricing](#).

To try it out, please [submit a ticket](#).

Directions

Step 1. Create a dedicated BGP bandwidth package

To create an EIP using the dedicated BGP IP line, please create a dedicated BGP bandwidth package first.

1. Log in to the [VPC console](#) and click **Bandwidth Package** on the left sidebar.
2. At the top of the "Bandwidth Package" page, select the region "Hong Kong (China)", and click **Create** in the upper left corner.
3. In the "Create Bandwidth Package" window, enter a name, select the "Dedicated BGP" line type and billing mode, and click **OK**.

Create Bandwidth Package


Name

Line Type General BGP Dedicated BGP

Billing Mode Pay as you go - Top 5 Billing
 Pay as you go - Monthly 95th Percentile

Billing Description Bill by the fifth highest bandwidth value collected per day. For details, please see [Billing Details](#).

Advanced Options ▶ Tag

Unit Price 

Step 2. Create an EIP using the dedicated BGP IP line

Create an EIP using the dedicated BGP IP line, and add this EIP to the created dedicated BGP bandwidth package.

1. Log in to the [Public IP console](#).
2. At the top of the "Public IP" page, select the region "Hong Kong (China)", and click **Apply** in the upper left corner.
3. In the pop-up "Apply for EIP" window, configure the following parameters.

Apply for EIP ✕

IP address type

General BGP IP
General BGP IP, balancing the network quality and costs.

Dedicated BGP IP
Dedicated BGP IP, reducing network latency without detouring an international ISP.

Acceleration IP Recommended
Anycast Acceleration, making public network access more stable, reliable and low latency

Region Hong Kong, Macau and Taiwan (China) (Hong Kong, China)

Billing Mode ⓘ Bandwidth Package

Bandwidth Package

↻

[Create Now](#) ↗


Bandwidth Cap
 Limited Unlimited


- +
 Mbps
500 1000 1500 2000

Amount

- +
 1/20

Tag ▼ Add

Public network fee


IP idle fees


 No IP idle fee will be incurred if the EIP is bound to a cloud resource.

OK
Cancel

Parameter	Description
-----------	-------------

IP address type	Select the dedicated BGP IP.
Billing mode	Dedicated BGP IPs can be billed by bandwidth package only.
Bandwidth package	Select the bandwidth package created in Step 1 .
Bandwidth cap	Set the bandwidth cap as needed and allocate bandwidth resources reasonably.
Quantity	Select the quantity of EIPs to be applied as needed and ensure that it does not exceed the total product quota. For details, see Quota Limit .
Name	EIP instance name (optional).
Tag	You can add a tag and use it for permission management.

Step 3. Bind cloud resources

1. Log in to the [Public IP Console](#), and select the region "Hong Kong (China)".
2. Under the operation column to the right of the target EIP instance, select **More > Bind**.
3. In the pop-up "Bind resources" window, select the cloud resource to be bound, and click **OK**.

Note:

If the bill-by-IP CVM instance already contains a common public IP, release the common public IP first, and then bind it with the EIP.

The limit on the number of EIPs bound to CVM instances varies according to the CVM CPUs, as instructed in [Elastic IP](#).

Bind resources

Please select the resource to be bound with the EIP (eip-dzdfjtjam)

CVM Instances
 NAT Gateway
 ENI
 High Availability Virtual IP

Enter name, ID or private IP

Instance ID/Name	Availability Zone	Private IP	Bound public I
<input type="radio"/> [blurred]	[blurred]	[blurred]	[blurred]
<input checked="" type="radio"/> [blurred]	Hong Kong [blurred]	1 [blurred]	-
<input type="radio"/> [blurred]	[blurred]	[blurred]	[blurred]

4. In the pop-up confirmation window, click **OK**.