


Cloud File Storage Product Introduction



Copyright Notice

©2013–2025 Tencent Cloud. All rights reserved.

The complete copyright of this document, including all text, data, images, and other content, is solely and exclusively owned by Tencent Cloud Computing (Beijing) Co., Ltd. ("Tencent Cloud"); Without prior explicit written permission from Tencent Cloud, no entity shall reproduce, modify, use, plagiarize, or disseminate the entire or partial content of this document in any form. Such actions constitute an infringement of Tencent Cloud's copyright, and Tencent Cloud will take legal measures to pursue liability under the applicable laws.

Trademark Notice

 Tencent Cloud

This trademark and its related service trademarks are owned by Tencent Cloud Computing (Beijing) Co., Ltd. and its affiliated companies ("Tencent Cloud"). The trademarks of third parties mentioned in this document are the property of their respective owners under the applicable laws. Without the written permission of Tencent Cloud and the relevant trademark rights owners, no entity shall use, reproduce, modify, disseminate, or copy the trademarks as mentioned above in any way. Any such actions will constitute an infringement of Tencent Cloud's and the relevant owners' trademark rights, and Tencent Cloud will take legal measures to pursue liability under the applicable laws.

Service Notice

This document provides an overview of the as-is details of Tencent Cloud's products and services in their entirety or part. The descriptions of certain products and services may be subject to adjustments from time to time.

The commercial contract concluded by you and Tencent Cloud will provide the specific types of Tencent Cloud products and services you purchase and the service standards. Unless otherwise agreed upon by both parties, Tencent Cloud does not make any explicit or implied commitments or warranties regarding the content of this document.

Contact Us

We are committed to providing personalized pre-sales consultation and technical after-sale support. Don't hesitate to contact us at 4009100100 or 95716 for any inquiries or concerns.

Contents

Product Introduction

Overview

Strengths

Storage Classes and Performance

Use Cases

Recommended Regions

Use Limits

Product Introduction

Overview

Last updated: 2023-08-29 09:45:07

Cloud File Storage (CFS) provides a scalable shared file storage service that can be used with Tencent Cloud services such as CVM, TKE, and BatchCompute. CFS offers standard NFS and CIFS/SMB file system access protocols to provide shared data sources for multiple CVM instances or other computing services. It supports elastic capacity expansion and performance scaling. CFS can be mounted on existing applications without modification. As a highly available and reliable distributed file system, CFS is suitable for various scenarios such as big data analysis, media processing, and content management.

CFS is easy to integrate, eliminating your need to adjust your business structure or make complex configurations. To integrate and use CFS, simply complete three steps: creating a file system, launching a file system client on a server, and mounting the created file system.

Product Features

Integrated management

CFS supports NFS v3.0/v4.0 and CIFS/SMB2.0/SMB2.5/SMB3.0 protocols as well as POSIX access syntax (such as strong data consistency and file locking). You can mount a file system by running the standard mount command on the corresponding operating system.

Automatic expansion

CFS can automatically expand the storage capacity of a file system based on file size without interrupting requests and applications during the process, thereby ensuring exclusive use of storage resources while reducing management workload.

Security settings

CFS features extremely high availability and persistence. Each file stored in a CFS instance has 3 redundant copies.

It supports access from VPC and classic network as well as access control.

Pay-as-you-go

CFS is billed by actual usage with no minimum fees or deployment or Ops fees. It allows multiple CVM instances to share the same storage capacity via the NFS and CIFS/SMB protocols, eliminating your need to purchase other storage services or care about cache.

Strengths

Last updated: 2023-08-29 09:51:26

Ease of use

- Tencent Cloud compute resources can mount different CFS resources based on SMB/NFS/private protocols, and access them as if they were local disks using POSIX instructions.
- CFS comes with a console where you can quickly create and configure a file system, reducing the time needed for deployment and the workload of file system maintenance.

Flexible scalability

- CFS can be scaled out as needed. Requests and applications are not interrupted during the scale-out, ensuring continuous business and reducing the time for and workload of system management.
- A single CFS namespace can provide petabytes of storage capacity, supporting data storage at a larger scale compared to self-built NAS, cloud hard disk and other storage methods.

High Security and Reliability

- CFS adopts a distributed three-copy storage mechanism that is highly reliable. The system guarantees that data is written in all three copies before returning a response of successful write. If any copy fails, a new copy can be created in the backend by using methods such as data migration, ensuring the availability of three data copies at all times. Meanwhile, the access layer guarantees the running of the HA mechanism to provide an overall reliability of up to 99.9999999% (9 out of 9), rendering secure and reliable data storage services for you.
- CFS can strictly control access to file systems, allowing you to control access with the help of security groups in the basic networks or VPCs together with permission groups.

Excellent Performance

- CFS has the capabilities to provide 100-GB bandwidth, 1-million OPS, and 10-million IOPS, accommodating your data storage under all kinds of harsh performance conditions.
- CFS supports concurrent access by thousands of clients. Based on intelligent load balancing, the cluster backend of CFS can ensure stable performance on the clients, fulfilling your storage needs involving high concurrency.

- CFS can achieve sub-millisecond latency, meeting your business requirements in latency-sensitive scenarios.

Storage Classes and Performance

Last updated: 2023-08-29 09:55:47

CFS provides file systems with scalable storage, which can work with other Tencent Cloud services such as CVM, TKE, and BatchCompute. CFS offers the following storage types, and you can select one based on your business needs.

Storage class

Standard

Standard is a highly cost-effective file system that uses mixed media and accelerates data reads/writes through a data tiering mechanism. Three replicas on three independent physical servers on different racks are provided to guarantee strong consistency and successful storage of every data entry written to the file system. Its access server features hot data migration to ensure data reliability and high service availability, making it suitable for scenarios that require small-scale general data storage.

High-Performance

High-Performance is a low-latency file system that uses NVMe only and provides a high storage performance through a data tiering mechanism. Three replicas on three independent physical servers on different racks are provided to guarantee strong consistency and successful storage of every data entry written to the file system. Its access server features hot data migration to ensure data reliability and service high availability, making it suitable for small-scale core businesses that are latency-sensitive.

Standard Turbo

Standard Turbo is a parallel file system that uses mixed media and an asymmetric framework. Data nodes and metadata nodes are deployed independently. By allowing mounting with a private protocol, a single client can deliver performance like a storage cluster. In addition, underlying resources are isolated to ensure exclusive storage for the cluster. Three replicas on three independent physical servers on different racks are provided to guarantee strong consistency and successful storage of every data entry written to the file system. Its access server features hot data migration to ensure data reliability and service high availability, making it suitable for scenarios that require large-scale throughput and mixed loads.

High-Performance Turbo

High-Performance Turbo is a high-bandwidth, low-latency, parallel file system that uses NVMe only and an asymmetric framework. Data nodes and metadata nodes are deployed

independently. By allowing mounting with a private protocol, a single client can deliver performance like a storage cluster. In addition, underlying resources are isolated to ensure exclusive storage for the cluster. Three replicas on three independent physical servers on different racks are provided to guarantee strong consistency and successful storage of every data entry written to the file system. Its access server features hot data migration to ensure data reliability and service high availability, making it suitable for scenarios that use a large number of small files.

High-Throughput

High-Throughput is a parallel file system that uses a layered framework. It provides more flexible bandwidth scaling and access over the SMB protocol, meeting the storage requirements for a small capacity and high bandwidth. Three replicas on three independent physical servers on different racks are provided to guarantee strong consistency and successful storage of every data entry written to the file system. Its access server features hot data migration to ensure data reliability and high service availability, making it suitable for read-intensive scenarios such as rendering, game battle server, and non-linear editing.

Performance and Specifications

General series

Product name	Standard	High-Performance
Positioning	Cost-effective, suitable for small-scale general data storage	High performance and low latency, suitable for small-scale latency-sensitive core businesses
Scenarios	Small-scale enterprise file sharing, data backup/archive, and log storage	Small-scale CI/CD development and testing environments, high-performance web services, OLTP databases, and high-performance file sharing
Storage capacity	0 - 160TiB	0 - 32TiB
Bandwidth (MiB/s)	$\text{Min}\{100 + 0.1 \times \text{Capacity in GiB}, 300\}$	$\text{Min}\{200 + 0.2 \times \text{Capacity in GiB}, 1024\}$
Read IOPS	$\text{min}\{2000+8*\text{size}(\text{GiB}), 15000\}$	$\text{Min}\{2,500 + 30 \times \text{Capacity in GiB}, 30,000\}$

Write IOPS	$\min\{2000+8*\text{size}(\text{GiB}),15000\}$	$\text{Min}\{2,500 + 30 \times \text{Capacity in GiB}, 30,000\}$
OPS upper threshold	Read/Write: 10,000/1,000	Read/Write: 30,000/3,000
Latency	<ul style="list-style-type: none"> 4K single-thread read: 3ms 4K single-thread write: 7ms 	<ul style="list-style-type: none"> 4K single-thread read: 1ms 4K single-thread write: 1.5 ms
Cost	¥0.35 CNY/GiB/month	¥1.6 CNY/GiB/month
Supported protocol	NFS/SMB	NFS
Scaling	Auto scaling out	Auto scaling out
Supported OS	Linux/Windows	Linux/Windows

Turbo series

Product name	Standard Turbo	High-Performance Turbo
Positioning	High-throughput and large storage, suitable for businesses that require high throughput and mixed loads	High-throughput and high IOPS, suitable for businesses that use large-scale small files
Scenarios	Non-linear media asset editing, image rendering, AI inferencing, OLAP business, and high-performance computing	High-performance and large-scale computation, AI training, OLTP databases, big data analysis, and OLAP services
Storage capacity	20TiB – 100PiB	10TiB – 100PiB
Bandwidth (MiB/s)	$\text{Min}\{0.1 \times \text{Capacity in GiB}, 100,000\}$	$\text{Min}\{0.2 \times \text{Capacity in GiB}, 100,000\}$
Read IOPS	$\text{Min}\{2 \times \text{Capacity in GiB}, 2 \text{ million}\}$	$\text{Min}\{20 \times \text{Capacity in GiB}, 10 \text{ million}\}$
Write	$\text{Min}\{1 \times \text{Capacity in GiB}, 1 \text{ million}\}$	$\text{Min}\{5 \times \text{Capacity in GiB}, 3 \text{ million}\}$

IOPS		
OPS upper threshold	Read/Write: 300,000/20,000	Read/Write: 300,000/20,000
Latency	<ul style="list-style-type: none"> 4K single-thread read: 0.2 ms 4K single-thread write: 3ms 	<ul style="list-style-type: none"> 4K single-thread read: 0.2 ms 4K single-thread write: 1.5 ms
Cost	¥0.6 CNY/GiB/month	¥1.4 CNY/GiB/month
Supported protocol	POSIX/MPI	POSIX/MPI
Scaling	Manual	Manual
Supported OS	Linux	Linux
Consistency	Strong consistency	Strong consistency

Infrequent Access

Product name	Infrequent Access
Positioning	Storage of infrequently accessed warm and cold data
Scenarios	Used together with Standard Turbo or High-Performance Turbo to achieve automatic hot-cold data tiering, reducing storage costs
Storage capacity	0-1EiB
Bandwidth	600MiB/s
Cost	Storage: ¥0.12 CNY/GiB/month Data Transfer Fee: ¥0.06 CNY/GiB
Scaling	Auto scaling out

Note:

An IA file system cannot be mounted directly for access. It must be used together with Standard Turbo or High-Performance Turbo to achieve automatic hot-cold data tiering.

High-Throughput

Product name	High-Throughput
Positioning	High throughput and large capacity, suitable for large-scale read-intensive businesses
Scenarios	Read-intensive scenarios such as video rendering, game battle server, and non-linear editing
Storage capacity	0 – 1PiB
Bandwidth (MiB/s)	0-200 GiB/s (dependent on the deployment workload)
Read IOPS	Min{2 × Capacity in GiB , 2 million}
Write IOPS	Min{1 × Capacity in GiB , 1 million}
OPS upper threshold	Read/Write: 300,000/20,000
Latency	<ul style="list-style-type: none"> • 4K single-thread read: 5ms • 4K single-thread write: 10ms
Cost	<ul style="list-style-type: none"> • Capacity: ¥ 1 CNY/GiB/month • Bandwidth: ¥ 3000 CNY/GiB/s/month
Supported protocol	SMB
Scaling	Auto scaling out
Supported OS	Windows

Note

- In the performance-related formulas, the capacities of Standard Turbo and High-Performance Turbo refer to the capacities purchased for the cluster. For Standard and High-Performance, the capacities refer to the storage that is actually used by the instances.
- The table above shows the capabilities of the file system. To reach the performance upper threshold, you usually need to perform multi-threaded reads/writes using multiple compute nodes.
- The performance benchmark is tested in interruption-free conditions. The results of mixed tests or other loads may vary.
- OPS indicates the file system's ability to process metadata per second, which is not the same as IOPS.
- The process to purchase the Throughput type is not currently available on the console. If you wish to purchase it, please [submit a ticket](#) to contact us.

Use Cases

Last updated: 2025-08-04 16:01:25

Enterprise file sharing

CFS provides storage services suitable for organizations with a large number of employees who need to access and share the same datasets. It allows the administrators of an organization to create file systems and set read/write permissions for internal clients.

High-performance computing and big data analysis

CFS provides the scale, performance, high throughput of computing nodes, read-after-write consistency, and low-latency file operations required by high-performance computing and big data applications, making it particularly suitable for such scenarios as machine learning, AI training, and centralized server log processing and analysis.

Streaming media processing

For media workflows such as video editing, video production, broadcast processing, sound design, and rendering, shared storage is generally used to work with large files. The strong data consistency model of CFS, coupled with high throughput and shared file access, helps reduce the time it takes to complete such tasks.

Content management and Web services

As a highly persistent, high-throughput file system, CFS can be used for various content management systems. It stores and provides data for various applications such as websites, online distribution, and archiving.

Dedicated software environment

CFS provides the foundation for the migration of traditional service architectures to the cloud for government, education, and healthcare sectors. Generally, a dedicated software program needs to share the same file storage system and only supports POSIX standard protocol operations.

Recommended Regions

Last updated: 2023-08-29 09:56:24

The following table describes regions where CFS is available.

Note

If you need to use CFS for a host or service in a region where resources are sold out, we recommend selecting a VPC in that region, creating a subnet in another available zone, and then creating a CFS file system in that subnet. For more details, please refer to [Mounting Assistance](#).

This table recommends AZs for resource deployment based on the resource-adding capacity and resource adequacy of CFS. This doesn't mean CFS resources are always available for purchase in these AZs. If you purchase resources in recommended AZs, subsequent addition of resources can be guaranteed.

Note

The actual availability is subject to the console display. This table **does not represent that all types of CFS are available in the corresponding regions.**

Regions	Recommended AZ
Beijing	<ul style="list-style-type: none">• Beijing Zone 6• Beijing Zone 7
Shanghai	<ul style="list-style-type: none">• Shanghai Zone 4• Shanghai Zone 5• Shanghai Zone 8
Guangzhou	<ul style="list-style-type: none">• Guangzhou Zone 6• Guangzhou Zone 7
Nanjing	<ul style="list-style-type: none">• Nanjing Zone 1• Nanjing Zone 2• Nanjing Zone 3
Chengdu	<ul style="list-style-type: none">• Chengdu Zone 1• Chengdu Zone 2

Chongqing	<ul style="list-style-type: none">• Chongqing Zone 1
Hong Kong (China)	<ul style="list-style-type: none">• Hong Kong (China) Zone 1• Hong Kong (China) Zone 2
Shanghai Finance	<ul style="list-style-type: none">• Shanghai Finance Zone 1• Shanghai Finance Zone 2
Beijing Finance	<ul style="list-style-type: none">• Beijing Finance Zone 1
Shenzhen Finance	<ul style="list-style-type: none">• Shenzhen Finance Zone 1• Shenzhen Finance Zone 2
Singapore	<ul style="list-style-type: none">• Singapore Zone 1• Singapore Zone 2• Singapore Zone 3• Singapore Zone 4
Tokyo	<ul style="list-style-type: none">• Tokyo Zone 1
US West	<ul style="list-style-type: none">• Silicon Valley Zone 1
US East	<ul style="list-style-type: none">• Virginia Zone 2
Mumbai	<ul style="list-style-type: none">• Mumbai Zone 1
Thailand	<ul style="list-style-type: none">• Bangkok Zone 1• Bangkok Zone 2
Seoul	<ul style="list-style-type: none">• Seoul Zone 1
Toronto	<ul style="list-style-type: none">• Toronto Zone 1
Frankfurt	<ul style="list-style-type: none">• Frankfurt Zone 1• Frankfurt Zone 2
Indonesia	<ul style="list-style-type: none">• Jakarta Zone 1

Use Limits

Last updated: 2023-08-29 09:57:25

Limits and Notes

Limits

Product Type	Standard		High-Performance		Standard Turbo		High-Performance Turbo	
	Product Specifications	Recommended	Product Specifications	Recommended	Product Specifications	Recommended	Product Specifications	Recommended
Maximum system capacity	160TiB	140TiB	32TiB	24TiB	100PiB	4PiB	100PiB	2PiB
Minimum system capacity	None		None		40TiB		20TiB	
Maximum system bandwidth	300MiB/s	240MiB/s	1GiB/s	800MiB/s	100GiB/s	10GiB/s	100GiB/s	10GiB/s
Maximum number of system files	Min[15,000 x used capacity (GiB), 1	Min[10,000 x used capacity (GiB), 0.8	Min[20,000 x used capacity (GiB), 1.5	Min[15,000 x used capacity (GiB), 1	Min[15,000 x deployed capacity (GiB), 1	Min[10,000 x deployed capacity (GiB), 0.8	Min[30,000 x deployed capacity (GiB), 1.5	Min[20,000 x deployed capacity (GiB), 1

	billion]	billion]	billio n]	billio n]	billio n]	billion]	billio n]	billion]
Maximum number of system directories	10 million	8 million	15 million	10 million	10 million	8 million	15 million	10 million
Maximum length of filename	255 bytes	255 bytes	255 bytes	255 bytes	255 bytes	255 bytes	255 bytes	255 bytes
Maximum length of absolute path	4096 bytes	4096 bytes	4096 bytes	4096 bytes	4096 bytes	4096 bytes	4096 bytes	4096 bytes
Maximum number of directory levels	1000	16	1000	16	1000	16	1000	16
Maximum number of files/subdirectories per directory	1 million	0.8 million	1 million	0.8 million	1 million	0.8 million	1 million	0.8 million
Maximum number	65536	1000	65536	1000	65536	1000	65536	1000

Number of concurrently opened files								
Maximum number of locks per file	512	512	512	512	512	512	512	512
Maximum number of clients	1000	100	1000	100	2000	1000	2000	1000
Maximum Bandwidth per Client	300MiB/s	300MiB/s	500 MiB/s	500 MiB/s	10GiB/s	10GiB/s	10GiB/s	10GiB/s
Maximum number of mounted file systems per client	1000	16	1000	16	16	8	16	8
Billing restrictions	Billed by the actual usage (excluding prepaid)		Billed by the actual usage (excluding prepaid)		Billed by the purchased capacity		Billed by the purchased capacity	
Supported protocol	NFS/SMB		NFS		POSIX/MPI			

Supported OS	Linux/Windows	Linux
--------------	---------------	-------

Note

Turbo series

- The Turbo series is mounted using a client. After you run the `mount` command on the client installed, you can use the file system the same way as a local file system.
- The Turbo series operates and bills based on purchased capacity. For instance, if you purchase 40T of Standard Turbo, upon creation, regardless of the usage, you will be billed hourly for 40TiB. If used for an hour, the charge would be: $40 \times 1024 \times 0.6 / 24 / 30 = 34.13$ yuan. If necessary, the file system can be destroyed at any time.
- To ensure the cloud load balance of the file system after scaling up, we recommend that you scale up when around 80% of the capacity has been used. Online scale-up is supported and will be imperceptible during the whole process.
- The Turbo series cannot be scaled down. You can create a Turbo instance, migrate your data, and then delete the old instance.
- Because the self-deployed cluster needs to be set up again, the initial creation of the Turbo series will take about 20 minutes.
- It is recommended to mount and use a Turbo file system only on a client in the same availability zone (AZ). Cross-AZ delays may cause issues such as client mount timeouts and disconnections.
- Should you require a Turbo series with higher specifications (supporting a larger number of files, directories, etc.), please [submit a ticket](#) to get in touch with us.

UID and GID

- When NFS v3.0 protocol is used, if UID or GID of the file does not exist in the local account, UID and GID will be displayed directly; otherwise, relevant user and group names will be displayed based on the mapping relationship of the local UID and GID.
- When the NFS v4.0 protocol is used, if the Linux version is above 3.0, the UID rules and the GID rules will be the same as those of the NFS v3.0 protocol. Otherwise, the UID and the GID of all files will be displayed as `nobody`.

Note

When you mount a file system to a Linux version below 3.0 by using the NFS v4.0 protocol, we recommend that you refrain from performing change owner or change group on the file or directory. Otherwise, its UID and GID will become `nobody`.

Supported CIFS/SMB protocol

- Supported protocol versions: CIFS/SMB 1.0 and later are supported. However, SMB 1.0 is not recommended for mounting, because it is inferior in terms of performance and features to SMB 2.0 and later and because Windows has stopped its technical support service for Windows versions supporting SMB 1.0 or earlier.
- You cannot use NFS and SMB to access the same file system at the same time or directly access an SMB file system via WAN.
- Read/write ACL is provided only at the file system level. No ACL is provided at the file/directory level.
- IOCTL/FSCTL operations such as sparse files setting, file compression, ENI status query, and reparse point setting are not supported.
- Alternate Data Streams are not supported.
- Some protocol features in SMB 3.0 or later such as SMB Direct, SMB Multichannel, SMB Directory Leasing, and Persistent File Handle are not supported.